
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	570	(((detect\$4 or check\$3) near5 (error\$1 or fault\$1 or fail\$4 or defect or anomalities))) near15 (CAM or "content addressable memory")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 14:04
L2	11	((((detect\$4 or check\$3) near5 (error\$1 or fault\$1 or fail\$4 or defect or anomalities))) near15 (CAM or "content addressable memory")) and parity and ("protection word" or CRC or "cyclic redundancy check")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 14:07
L3	7	((((detect\$4 or check\$3) near5 (error\$1 or fault\$1 or fail\$4 or defect or anomalities))) near15 (CAM or "content addressable memory")) and parity and ("protection word" or CRC or "cyclic redundancy check") and key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 14:07
L4		((((detect\$4 or check\$3) near5 (error\$1 or fault\$1 or fail\$4 or defect or anomalities))) near15 (CAM or "content addressable memory")) and parity and ("protection word" or CRC or "cyclic redundancy check") and comparand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 14:08
L5	6	((((detect\$4 or check\$3) near5 (error\$1 or fault\$1 or fail\$4 or defect or anomalities))) same (CAM or "content addressable memory")) and parity and ("protection word" or CRC or "cyclic redundancy check") and comparand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 14:08
L6	6	((((detect\$4 or check\$3) near5 (error\$1 or fault\$1 or fail\$4 or defect or anomalities))) and (CAM or "content addressable memory")) and parity and ("protection word" or CRC or "cyclic redundancy check") and comparand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 14:09

L7	6	((((detect\$4 or check\$3) near10 (error\$1 or fault\$1 or fail\$4 or defect or anomalities))) and (CAM or "content addressable memory")) and parity and ("protection word" or CRC or "cyclic redundancy check") and comparand	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 14:09
L8	285	((((detect\$4 or check\$3) near10 (error\$1 or fault\$1 or fail\$4 or defect or anomalities))) and (CAM or "content addressable memory")) and parity and ("protection word" or CRC or "cyclic redundancy check")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 14:10
L9	22	((((detect\$4 or check\$3) near10 (error\$1 or fault\$1 or fail\$4 or defect or anomalities))) and (CAM or "content addressable memory")) and ((parity same ("protection word" or CRC or "cyclic redundancy check")) same (compar\$5 or comput\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 14:16
L10	5	((((detect\$4 or check\$3) near10 (error\$1 or fault\$1 or fail\$4 or defect or anomalities))) and (CAM or "content addressable memory")) and ((parity same ("protection word" or CRC or "cyclic redundancy check")) same (compar\$5 or comput\$5)) and key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 15:00
L12	7	((((detect\$4 or check\$3) near10 (error\$1 or fault\$1 or fail\$4 or defect or anomalities))) same (CAM or "content addressable memory") near3 module\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 15:07
L13	9	((CAM or "content addressable memory") near3 module\$1) and (parity near3 generat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 15:04

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(((CAM or (content adj addressable adj memory)) near3 module\$1) and "key-based parity" and "key-based protection" and comparand).clm.	US-PGPUB	OR	OFF	2007/06/22 15:16
L2	1	(((CAM or (content adj addressable adj memory)) near3 module\$1) and "key-based parity" and "key-based protection" and compar\$4).clm.	US-PGPUB	OR	OFF	2007/06/22 15:16





Home | Login | Logout | Access Information | Alerts | Sitemap

Welcome United States Patent and Trademark Office

BROWSE

Search Results	

SEARCH

Field Programmable Logic and Applications, 2005. International Conference on 24-26 Aug. 2005 Page(s):444 - 449

Digital Object Identifier 10.1109/FPL.2005.1515762 AbstractPlus | Full Text: PDF(195 KB) IEEE CNF

IEEE XPLORE GUIDE

SUPPOF

Your searc	"(((cam <near 10="">detection h matched 13 of 1589326 of 100 results are displayed)</near>	locuments		∑le-mail ∰ prinde		
» Search O	ptions					
View Sessi	on History	Mod	lify Search	***************************************		
New Searc		(((cam <near 10="">detection))<in>metadata) %carcin >></in></near>				
NOW OCUIO	<u></u>	☐ Check to search only within this results set				
» Key		Display Format:				
IEEE JNL	IEEE Journal or Magazine	€ vie	w selected items Select All Deselect All			
IET JNL	IET Journal or Magazine					
IEEE CNF	IEEE Conference Proceeding		The advantages and challenges of machine fault detection using a and fuzzy logic technologies	artificial neural n		
IET CNF	IET Conference Proceeding		Mo-Yuen Chow, Goode, P.V.; Circuits and Systems, 1993., Proceedings of the 36th Midwest Sympos	sium on		
IEEE STD	IEEE Standard		16-18 Aug. 1993 Page(s):708 - 711 vol.1 Digital Object Identifier 10.1109/MWSCAS.1993.342948			
			<u>AbstractPlus</u> Full Text: <u>PDF</u> (404 KB) IEEE CNF <u>Rights and Permissions</u>			
.			2. Mitigating soft errors in highly associative cache with CAM-based Hung, L.D.; Goshima, M.; Sakai, S.; Computer Design: VLSI in Computers and Processors, 2005. ICCD 20 IEEE International Conference on 2-5 Oct. 2005 Page(s):342 - 347 Digital Object Identifier 10.1109/ICCD.2005.76			
	•	·	AbstractPlus Full Text: PDF(352 KB) IEEE CNF Rights and Permissions			
			 200MHz/200MSPS 3.2W at 1.5V Vdd, 9.4Mbits ternary CAM with nematch detect circuits and bank selection scheme Kasai, G.; Takarabe, Y.; Furumi, K.; Yoneda, M.; Custom Integrated Circuits Conference, 2003. Proceedings of the IEEE 21-24 Sept. 2003 Page(s):387 - 390 Digital Object Identifier 10.1109/CICC.2003.1249424 			
			AbstractPlus Full Text: PDF(341 KB) IEEE CNF Rights and Permissions			
			4. Bitwise optimised CAM for network intrusion detection systems Yusuf, S.; Luk, W.;			

Rights and Permissions

П	5. Pre-decoded CAMs for efficient and high-speed NIDS pattern matching
_	Sourdis, I.; Pnevmatikatos, D.; Field-Programmable Custom Computing Machines, 2004. FCCM 2004. 12th Annual IEE Symposium on 20-23 April 2004 Page(s):258 - 267 Digital Object Identifier 10.1109/FCCM.2004.46
	AbstractPlus Full Text: PDF(272 KB) IEEE CNF Rights and Permissions
	6. One-transistor-cell multiple-valued CAM for a collision detection VLSI processor Hanyu, T.; Kanagawa, N.; Kameyama, M.; Solid-State Circuits Conference, 1996. Digest of Technical Papers. 43rd ISSCC., 1996 If International 8-10 Feb. 1996 Page(s):264 - 265, 457 Digital Object Identifier 10.1109/ISSCC.1996.488616
	<u>AbstractPlus</u> Full Text: <u>PDF(</u> 956 KB)
	7. FPGA based network intrusion detection using content addressable memories Long Bu; Chandy, J.A.; Field-Programmable Custom Computing Machines, 2004. FCCM 2004. 12th Annual IEE Symposium on 20-23 April 2004 Page(s):316 - 317 Digital Object Identifier 10.1109/FCCM.2004.35
	AbstractPlus Full Text: PDF(94 KB) IEEE CNF Rights and Permissions
	8. Testing SRAM-based content addressable memories Zhao, J.; Irrinki, S.; Puri, M.; Lombardi, F.; Computers, IEEE Transactions on Volume 49, Issue 10, Oct. 2000 Page(s):1054 - 1063 Digital Object Identifier 10.1109/12.888041
	<u>AbstractPlus</u> <u>References</u> Full Text: <u>PDF</u> (252 KB) IEEE JNL Rights and Permissions
	9. Head gestures recognition Pei Chi Ng; De Silva, L.C.; Image Processing, 2001. Proceedings, 2001 International Conference on Volume 3, 7-10 Oct. 2001 Page(s):266 - 269 vol.3 Digital Object Identifier 10.1109/ICIP.2001.958102
	AbstractPlus Full Text: PDF(280 KB) IEEE CNF Rights and Permissions
	10. A real-time CAM-based Hough transform algorithm and its performance evaluation Nakanishi, M.; Ogura, T.; Pattern Recognition, 1996. Proceedings of the 13th International Conference on Volume 2, 25-29 Aug. 1996 Page(s):516 - 521 vol.2 Digital Object Identifier 10.1109/ICPR.1996.546878
	AbstractPlus Full Text: PDF(492 KB) IEEE CNF Rights and Permissions
	11. A new CAM macro for 622 Mbps ATM cell processing Odagiri, H.; Takahashi, N.; Shidei, T.; Takeshita, K.; Kumagai, Y.; Custom Integrated Circuits Conference, 1996., Proceedings of the IEEE 1996 5-8 May 1996 Page(s):21 - 24

Digital Object Identifier 10.1109/CICC.1996.510504 AbstractPlus | Full Text: PDF(356 KB) IEEE CNF Rights and Permissions 12. A collision detection multiprocessor for intelligent vehicles using a high-density C Hariyama, M.; Hanyu, T.; Kameyama, M.; Intelligent Vehicles '94 Symposium, Proceedings of the 24-26 Oct. 1994 Page(s):143 - 148 Digital Object Identifier 10.1109/IVS.1994.639490 AbstractPlus | Full Text: PDF(412 KB) IEEE CNF Rights and Permissions 13. Comparison of penetration and scatter effects on defect contrast for GE and Siem LEHR collimators in myocardial perfusion SPECT-a simulation study Xin He; Frey, E.C.; Links, J.M.; Song, X.; Tsui, B.M.W.; Nuclear Science, IEEE Transactions on Volume 52, Issue 5, Part 1, Oct. 2005 Page(s):1359 - 1364 Digital Object Identifier 10.1109/TNS.2005.858224 AbstractPlus | Full Text: PDF(448 KB) IEEE JNL Rights and Permissions

indexed by iii insoec

Contact Us Privacy & Security © Copyright 2006 IEEE - All Rights



Home | Login | Logout | Access Information | Alerts | Sitemap

Welcome United States Patent and Trademark Office

SEARCH

Search Results	•	В	KOWSE
Results for "(((cam <n< th=""><th>ear/10>error<nea< th=""><th>r/10>detection))<in>r</in></th><th>netadata)"</th></nea<></th></n<>	ear/10>error <nea< th=""><th>r/10>detection))<in>r</in></th><th>netadata)"</th></nea<>	r/10>detection)) <in>r</in>	netadata)"

IEEE XPLORE GUIDE

SUPPOF

Me-mail 📇 printer

Search

Your search matched 1 of 1589326 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

Modify Search

» Search Options

View Session History

New Searcl	<u>h</u>
» Key	
IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding

IET Conference

IEEE Standard

Proceeding

1.	Mitigating

view selected items

Display Format:
 Citation C Citation & Abstract

(((cam<near/10>error<near/10>detection))<in>metadata)

☐ Check to search only within this results set

soft errors in highly associative cache with CAM-based tag

Hung, L.D.; Goshima, M.; Sakai, S.;

Select All Deselect All

Computer Design: VLSI in Computers and Processors, 2005. ICCD 2005, Proceedings, 3 IEEE International Conference on 2-5 Oct. 2005 Page(s):342 - 347

Digital Object Identifier 10.1109/ICCD.2005.76

AbstractPlus | Full Text: PDF(352 KB) IEEE CNF

Rights and Permissions

indexed by

IET CNF

IEEE STD

Help Contact Us Privacy & Security © Copyright 2006 IEEE - All Rights